



SATURN Series

Switch Adjustable CCT (Light Temperature) LED Ceiling Mount Luminaire

- Saturn Series with Integrated LED Driver
- CCT Switch Adjustable
- 3000K / 4000K / 5500K
- Available in Standard and Emergency Variants
- High Lumen Efficiency
- Fast Installation
- Available in 18w/24w Configurations. Industry Standard 395mm.

Advanced LED Lighting




SATURN Series 5-year extended warranty.
SATURN extended product replacement warranty requires online registration.
Visit www.syntechinternational.com.au/warranty to register your product.



The Saturn Series incorporates an integrated solid-state LED Light Engine & Sensor.

The integrated LED Driver & Light Engine allows for 3-Stage Colour Selection (3000K/4000K/5500K) to deliver maximum colour tone flexibility to suit any environment.



Low Glare, High Flexibility Uniform Light Distribution

Incorporating a “Low Glare” concave frosted lens, the Saturn Series delivers uniform light value throughout the application area. The colour selection switch mounted on the inside of the luminaire allows for greater flexibility in meeting client needs.



Superior Aesthetics

The Saturn Series offers contemporary styling that blends into any environment whilst delivering one of the lowest energy footprint on the market.



Ultra-long life

The Trident-Halo CCT incorporates advanced SMD LED technology with a lifetime performance rating of 50,000 hours.

Trident-Halo CCT is backed by our 5-year commercial product replacement warranty for complete assurance of performance reliability.



SATURN SERIES

At Syntech, we believe that a manufacturer's warranty is your assurance of quality. This is why the Saturn Series is supported by a full five-year product replacement warranty.

All Syntech products comply to the latest AS/NZS Lighting Standards.

TO REGISTER YOUR WARRANTY, SIMPLY GO TO www.syntechinternational.com.au/warranty

SERVICES & SUPPORT

If you have any questions about the Saturn Series range, please contact a member of our team.

CUSTOMER SERVICE

1300 721 820

EMAIL

admin@syntechinternational.com.au




Saturn Series Specifications

Colour Temperature (CCT Adjustable) LED Luminaire


- Energy Efficient 80 Lumens per Watt
- Increased Energy Savings
- Excellent Retrofit Solution
- Zero Ongoing Maintenance
- CRI – RA75
- Slimline profile
- Flicker-Free Performance
- 3000K-4000K-5500K Colour Temperature Adjustable

395mm Housing Size- Available in 18W & 24W



- 18w/24w
- 3000K-4000K-5500K Adjustable.
- 80 LPW
- Lumens per Watt.

PART CODE	DESCRIPTION	COLOUR TEMP	LED	LUMENS	LPW	IP
SYN-GT18W-OSM-326-RAD	Saturn Series 18w 395mm Oyster Fitting with integrated Radar Sensor.	3000K-4000K-5500K	18W	1436	80	IP20
SYN-GT18W-OSM-326-RAD-EM	Saturn Series 18w 395mm Emergency Oyster Fitting with integrated Radar Sensor.	3000K-4000K-5500K	18W	1436	80	IP20
SYN-GT24W-OSM-395-RAD	Saturn Series 24w 395mm Oyster Fitting with integrated Radar Sensor.	3000K-4000K-5500K	24W	1920	80	IP20
SYN-GT24W-OSM-395-RAD-EM	Saturn Series 24w 395mm Emergency Oyster Fitting with integrated Radar Sensor.	3000K-4000K-5500K	24W	1920	80	IP20





syntechinternational.com.au
1300 721 820